


# Van bi đồng italia

**Giá bán:** **Liên hệ**

No. P11F
* Size Range: 1” ~ 12”
* Standard Port
* ISO-5211 Actuator Mounting Pad
* Flange: ANSI B16.5 Class 150/300/600
* Anti-static Device
* Fire Safe Design
* TFM Sleeve for automatic actuation
* Option: Locking Device

**Description**

***FEATURES***
· * For Application of Isolation
· * PTFE/TFM Sleeve
· * Locking Device available
* Anti-static Device
* Pneumatic Actuator, Limit Switch, Solenoid Valve, Air Filter Regulator, etc.
· * Fire Safe Design optional

***APPLICABLES CLASS 150/300/600 STANDARDS***
· * Valve Design: API599
· * Face to Face: ANSI B16.10
· * Flanged Ends: ANSI B16.5
· * Buttwelding Ends: ANSI B16.25
· * Size Range: 1/2"~12"

***TEST PRESSURE***
* According to API598, API6D

## Sản phẩm khác



## Van bi 3pc có tán inox nối ren

Xem thêm Van bi 3pc có tán inox nối ren



## Van bi 3pc inox nối ren

Xem thêm Van bi 3pc inox nối ren



## Van bi 3pc inox nối ren tay gạt

Xem thêm Van bi 3pc inox nối ren tay gạt



## Van bi 3 ngã inox nối ren kiểu L hoặc T

Xem thêm Van bi 3 ngã inox nối ren kiểu L hoặc T



## Van bi 3 ngã inox nối ren đóng mở điện On/Off -L kiểu T

Xem thêm Van bi 3 ngã inox nối ren đóng mở điện On/Off -L kiểu T



## Van bi 2pc nối bích tay gạt jis10k pn16

Xem thêm Van bi 2pc nối bích tay gạt jis10k pn16