

Van cửa đồng

Giá bán: **Liên hệ**

Suitable Applications:
Water, Oil, Gas

Material:

Brass Body

PTFE Stem Packing
Cast Iron Hand Wheel

Features:
Full opening wedge to give reduced friction for uninterupted flow
Screwed BSP to BS21 taper
Pressure rating shown on valve body

Technical Data

Pressure:
Up to 12.5 BAR

Temperature range:
-20°C – 120°C

Description	Material
Bonnet	Brass
Wedge	Brass
Gland Nut	Brass
Stem	Brass
Stem Packaging	PTFE
Hand Wheel	Cast Iron

Sản phẩm khác

AWWA/ANSI 250Psi Non-Rising Stem Resilient Seated Gate Valve, Mechanical connection

Xem thêm AWWA/ANSI 250Psi Non-Rising Stem Resilient Seated Gate Valve, Mechanical connection

AWWA/ANSI 250Psi Non-Rising Stem Resilient Seated Gate Valve, Flanged connection

Xem thêm AWWA/ANSI 250Psi Non-Rising Stem Resilient Seated Gate Valve, Flanged connection



Van cửa ti nổi cánh cao su

Xem thêm Van cửa ti nổi cánh cao su



Van cửa ti chìm cánh cao su

Xem thêm Van cửa ti chìm cánh cao su



Van cửa ren inox

Xem thêm Van cửa ren inox



Van cửa mặt bích ty chìm

Xem thêm Van cửa mặt bích ty chìm