



Y LỌC ĐỒNG NỐI REN KITZ Y

TÊN SẢN PHẨM

NHÃN HIỆU

Model

Kết Nối

Thân Van

Nắp Van

Lưới

Kích Thước

Tình Trạng

Đơn Giá

Y LỌC ĐỒNG NỐI REN

KITZ

Fig. Y

Nối ren BSPT

Đồng / Bronze

Đồng / Brass

Inox 304 / 304 Stainless Steel

DN10 → DN80 (3/8" → 3")

Hàng có sẵn, mới 100%

Xin liên hệ

CLASS 150

Y-PATTERN STRAINER

Y-pattern body, Screwed cap, 304 stainless steel screen,
Threaded ends to BS21 (JIS B0203) or NPT,
or solder joint ends

W.O.G. non-shock 2.07 MPa (300 psi), Saturated steam pressure 1.03 MPa (150 psi) up to size 2*

*Contact KITZ for larger sizes



Fig. Y

- Threaded end to BS21 (JIS B0203)


Fig. AKY

- Threaded end to ASME B1.20.1



Fig. CY

- Solder joint ends to JIS B2011 / ASME B16.18 (2½ & 3)



Materials

Parts	Material
Body	Bronze
Body cap	Brass
Screen	Type304 Stainless Steel
	A B
¾ to 2	1.4 2.4
2½ to 3	1.5 2.5

⚠ Solder joint end valves should not be used in service where the temperature of the line fluid is higher than the softening point of the solder.

⚠ Do not use for flammable gas or toxic gas.

Dimensions

Nominal Size	Inch mm	¾	½	¾	1	1¼	1½	2	2½	3
L	70	80	100	115	135	160	195	230	240	
L1 Solder		80	105	125	145	170	210	250	280	
H	44	49	57	70	82	98	121	150	183	
H1	61	68	83	105	124	149	188	216	267	

Sản phẩm khác



—

[VAN BƯỚC KITZ G-PN10ZJUE](#)

[Xem thêm VAN BƯỚC KITZ G-PN10ZJUE](#)



—

[VAN BƯỚC KITZ PN10ZJUE](#)

[Xem thêm VAN BƯỚC KITZ PN10ZJUE](#)



—

[VAN 1 CHIỀU KITZ 10SFBF](#)

[Xem thêm VAN 1 CHIỀU KITZ 10SFBF](#)



—

[VAN 1 CHIỀU KITZ 10SF](#)

[Xem thêm VAN 1 CHIỀU KITZ 10SF](#)



—

[VAN 1 CHIỀU KITZ 150SCOS](#)

[Xem thêm VAN 1 CHIỀU KITZ 150SCOS](#)



—

[VAN BI KITZ 150SCTDZ](#)

[Xem thêm VAN BI KITZ 150SCTDZ](#)